User Guide for Custom Peptide Online Ordering

Please visit <u>GenScript website</u>, select "Quick Order," and register an account or log in.







Step 1 Fill out the table below, ensuring that each peptide has a unique name. Use Ctrl+C and Ctrl+V to copy and paste into specific cells. Right-click the sequence cell for additional options.

➡ Fill a	all sequentia	ally 🖆 Fill all values	Clear all value:	6						
Fill t	he informat	ion in the table.								~
Ctrl-	+C & Ctrl+V t	to copy to specific cel	s. , please visit Peptic	de Products - GenScript.						
		skip ← back <u>next</u> →	Modification	AccuPep+ Q	c		🔓 Take	e A Tour 🛛 📩 Download Tem	nplate 🗖 Undo	🛍 Clear Table
	0 💼 😧	* Peptide name ↓ ⊗	* Sequence (N' - C')	* Quantity for production 企 😵 🕄	* Gross/Net Weight 企 🛞 😌	* Purity 쉽 🛞	* Aliquots for delivery 같 🛞	N'-Modification 쉽 🙁 🕄	C'-Modification 企 😢 🕄	Other I 🔺
1				1-4 mg v	Gross Weight	≥95% •	1	v		v
2				Ŧ	V	v	1 – 5 free	v		v
3				Ŧ	V	V	1–5 free	v		v
4				T	v	V	1 – 5 free	T		v
5				Ŧ	v	v	1–5 free	v		v
6				τ	v	\overline{v}	1–5 free	v		v
7				Ψ	V	v	1 – 5 free	v		v
8				T	V	Ţ	1–5 free	v		v
9				T	V	v	1 – 5 free	v		v
10				T		v	1–5 free	. X. *		v
-					■6`			G^		▶.6
Add	rows	Apply Add 1 Ro	w Add 5 Rows							

If you are interested in other QC tests, please contact peptide@genscript.com.

To insert special AA or D form AA: Use { } or Right Click in "Sequence" column. E.g. (nme-ALA) for N-methylated Alanine.

Click "+" in "Disulfide Bridge" column to show Cysteine location

Click Peptide Service could be used for hydrophobic peptides. E.g. β -Amyloid (1-42). If you need this service, please leave a message at "Comment" column. Click here for detailed information of Click Peptide Service

Step 2 Select N' and C' modifications if desired. Choose AccuPep+QC if desired.

+ Fill	all sequentia	lly 的Fill all value	s Oclear all value	S							
Qu	ck switch be	tween different bloc	ks.								
											~
E		skin ← hack next		de Products - GenScript							
		Skip Back Inckt		aerroadets oerisenpe							
	Basic Attrib	outes	Modification	AccuPep+Q	с			😵 Take A Tour	📥 Download Templa	te h Undo	🛍 Clear Table
	0 🛱 🖯	* Peptide name ↓ ⊗	* Sequence (N' - C')	* Quantity for production 쉽 🛞 😌	* Gross/Net Weight 샵 왕 중	* Purity 쉽 ම	* Aliquots for de 쉽 🛞	livery N'-I	Modification 쉽 🛞 😧	C'-Modification 쉽 🛞 😧	Other I 🔺
1				1-4 mg 🔹	Gross Weight	≥95% +	1				
2						7	1 – 5 free				
3						*	1 – 5 free				
4						*	1 – 5 free				
5				v		Ŧ	1 – 5 free		×		
6						Ŧ	1 – 5 free				
7	D			*		Ψ.	1 – 5 free		*		
8				*	,		1 – 5 free		· · · · · · · · · · · · · · · · · · ·		
9				*			1 – 5 free				
10				*			1 – 5 free				
4 0											•
Add	rows	Apply Add 1 Ro	w Add 5 Rows								

If you are interested in other QC tests, please contact peptide@genscript.com

To insert special AA or D form AA: Use [] or Right Click in "Sequence" column. E.g. (nme-ALA) for N-methylated Alanine

Click *+* in "Disulfide Bridge" column to show Cysteine location.

Click Peptide Service could be used for hydrophobic peptides. E.g. &-Amyloid (1-42). If you need this service, please leave a message at "Comment" column. Click here for detailed information of Click Peptide Service

Step 3 To bulk input of peptide sequences, download the template (request form), complete it, and then upload the filled form.

For more information on peptide products, please visit Peptide Products - GenScript.

Basic Attributes		outes	Modification	AccuPep+ QC			💡 Tak	e A Tour 🕹 Download T	emplate 🗖 Undo	🛍 Clear Table
	□ 💼 🕄	* Peptide name ∳ ⊗	* Sequence (N' - C') *	Quantity for production 같 🛞 😧	* Gross/Net Weight பி 😢 🕄	* Purity 쉽 🏵	* Aliquots for delivery 企 🙁	N'-Modification 企 😢 🍞	C'-Modification 企 😢 😧	Other I 운
1			۱	l-4 mg v	Gross Weight	≥95% .	1	v		v
2				Ŧ	v	v	1–5 free	v		v
3				v	v	v	1–5 free	v		v
4				v	v	v	1–5 free	v		v
5				Ŧ	v	v	1–5 free	v		v
6				Ŧ	v	v	1–5 free	v		v
7				Ŧ	Ψ.	v	1–5 free	v		v
8				Ŧ	v	v	1–5 free	v		v
9				v	v	v	1–5 free	v		v
10				v	v	T	1–5 free	v		· ·

Drag & Drop filled template into below field

dd rows Apply Add 1 Row Add 5 Rows

If you are interested in other QC tests, please contact peptide@genscript.com.

To insert special AA or D form AA: Use { } or Right Click in "Sequence" column. E.g. {nme-ALA} for N-methylated Alanine.

Click "+" in "Disulfide Bridge" column to show Cysteine location.

Click Peptide Service could be used for hydrophobic peptides. E.g. β -Amyloid (1-42). If you need this service, please leave a message at "Comment" column. Click here for detailed information of Click Peptide Service.

Step 4 Click "Add to Cart" to proceed your peptide request.

	Basic Attrib	outes	Modification	AccuPep+ Q	c c		💡 Tak	e A Tour 🕹 Download Template	🕇 Undo 🛍 Clear Table
	□ 💼 😧	* Peptide name ↓ ⊗	* Sequence (N' - C')	* Quantity for production 같 🛞 🕄	* Gross/Net Weight 企 🛞 😌	* Purity 쉽 🕲	* Aliquots for delivery	N'-Modification C'- 伦 왕 왕	Modification Other I A 문 문 문 문 문 문 문 문 문 문 문 문 문 문 문 문 문 문
1				1-4 mg v	Gross Weight	≥95% .	1	Ψ	v
2				v	V	v	1–5 free	ν	v
3				v	V	v	1–5 free	ν	v
4				V	V	v	1 – 5 free	v	v
5				V	∇	V	1–5 free		v
6				V	∇	v	1–5 free		v
7				V	V	v	1–5 free	τ	v
8				V	V	v	1–5 free	τ	v
9				V	V	v	1 – 5 free	v	v
10				Ŧ	v	T	1–5 free	Ψ	v

Add To Cart

Add rows Apply Add 1 Row Add 5 Rows

If you are interested in other QC tests, please contact peptide@genscript.com.

To insert special AA or D form AA: Use { } or Right Click in "Sequence" column. E.g. {nme-ALA} for N-methylated Alanine.

Click "+" in "Disulfide Bridge" column to show Cysteine location.

Click Peptide Service could be used for hydrophobic peptides. E.g. β-Amyloid (1-42). If you need this service, please leave a message at "Comment" column. Click here for detailed information of Click Peptide Service.