

Rev03
 Update: Aug,08,2025

DATASHEET


BST2, His, Cynomolgus

Cat. No.: Z04752

Product Introduction

Species	Cynomolgus				
Protein Construction	<table border="1"> <tr> <td>His</td> <td>BST2 (Ile49-Ser163) Accession # XP_005588438.1</td> </tr> <tr> <td>N-term</td> <td>C-term</td> </tr> </table>	His	BST2 (Ile49-Ser163) Accession # XP_005588438.1	N-term	C-term
His	BST2 (Ile49-Ser163) Accession # XP_005588438.1				
N-term	C-term				
Purity	> 95% as determined by Bis-Tris PAGE				
Endotoxin Level	Less than 1EU per µg by the LAL method.				
Expression System	HEK293				
Theoretical Molecular Weight	13.78 kDa				
Apparent Molecular Weight	Due to glycosylation, the protein migrates to 15-30 kDa based on Bis-Tris PAGE result.				
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4).				
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.				
Storage & Stability	Upon receiving, the product remains stable up to 6 months at -20 °C or below. Upon reconstitution, the product should be stable for 3 months at -80 °C. Avoid repeated freeze-thaw cycles.				

Examples



BST2, His, Cynomolgus on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

Background

Target Background : Interferon-induced BST2 (bone marrow stromal cell antigen 2) inhibits viral replication by tethering enveloped virions to the cell surface to restrict viral release and by inducing the NF κ B-dependent antiviral immune response. BST2 expression was significantly increased during porcine epidemic diarrhea virus (PEDV) infection of Vero cells by IRF1 targeting its promoter. Both the BST2 and N protein interacted with the E3 ubiquitin ligase MARCHF8/MARCH8 and the cargo receptor.

Synonyms : BST-2; HM1.24 antigen; CD317; BST2; NPC-A-7; PDCA-1; TETHERIN

For research use only. Not intended for human or animal clinical trials, therapeutic or diagnostic use.

Manufacturer: Nanjing GenScript Biotech Co., Ltd. No. 28Yongxi Road, Jiangning District, Nanjing, Jiangsu, China